

COLOR CHART

Laser | Rotary | Print

Product Material Selection



 Flamingo* <i>Translucent</i> CH341-690 1-ply 1/8"	 Lemon Zest* <i>Translucent</i> CH341-700 1-ply 1/8"	 Citron* <i>Translucent</i> CH341-720 1-ply 1/8"	 Ice Blue* <i>Translucent</i> CH341-500 1-ply 1/8"	 Glass Green* <i>Translucent</i> CH341-900 1-ply 1/8"	 Clear* <i>Translucent</i> CH341-100 1-ply 1/8" CH351-100 1-ply 1/4"	 Clear Matte <i>Translucent</i> CH341-101 1-ply 1/8" CH351-101 1-ply 1/4"
 Poppy <i>Translucent</i> CH341-601 1-ply 1/8" CH351-601 1-ply 1/4"	 Passion Fruit <i>Translucent</i> CH341-621 1-ply 1/8" CH351-621 1-ply 1/4"	 Cherry Blossom <i>Translucent</i> CH341-611 1-ply 1/8"	 Phantom <i>Translucent</i> CH341-211 1-ply 1/8" CH351-211 1-ply 1/4"	 Daffodil <i>Translucent</i> CH341-721 1-ply 1/8" CH351-721 1-ply 1/4"	 Citrus <i>Translucent</i> CH341-701 1-ply 1/8"	 Kiwi <i>Translucent</i> CH341-931 1-ply 1/8" CH351-931 1-ply 1/4"
 Caribbean <i>Translucent</i> CH341-921 1-ply 1/8" CH351-921 1-ply 1/4"	 Pacific <i>Translucent</i> CH341-551 1-ply 1/8"	 Wedgewood <i>Translucent</i> CH341-541 1-ply 1/8" CH351-541 1-ply 1/4"	 Rain Drop <i>Translucent</i> CH341-531 1-ply 1/8"	 Powder <i>Translucent</i> CH341-511 1-ply 1/8"	 Glacier <i>Translucent</i> CH341-521 1-ply 1/8"	 Wisteria <i>Translucent</i> CH341-581 1-ply 1/8"
 Smoke <i>Translucent</i> CH341-441 1-ply 1/8"	 Scarlet <i>Opaque</i> CH341-631 1-ply 1/8"	 Pomegranate <i>Opaque</i> CH341-661 1-ply 1/8"	 Mango <i>Opaque</i> CH341-651 1-ply 1/8"	 Citronella <i>Opaque</i> CH341-791 1-ply 1/8"	 Emerald <i>Opaque</i> CH341-991 1-ply 1/8"	 Envy <i>Opaque</i> CH341-961 1-ply 1/8"
 Cobalt <i>Opaque</i> CH341-501 1-ply 1/8"	 Luxe Blue <i>Opaque</i> CH341-571 1-ply 1/8"	 Storm Grey <i>Opaque</i> CH341-301 1-ply 1/8"	 Cocoa <i>Opaque</i> CH341-803 1-ply 1/8"	 Bisque <i>Opaque</i> CH341-831 1-ply 1/8"	 Crème Brûlée <i>Opaque</i> CH341-221 1-ply 1/8"	 White <i>Opaque</i> CH341-201 1-ply 1/8" CH351-201 1-ply 1/4"
 Black <i>Opaque</i> CH341-401 1-ply 1/8" CH351-401 1-ply 1/4"	 Black/Flamingo <i>EFX</i> CH342-496 2-ply 1/8"	 Black/Lemon Zest <i>EFX</i> CH342-407 2-ply 1/8"	 Black/Citron <i>EFX</i> CH342-427 2-ply 1/8"	 Black/Poppy <i>EFX</i> CH342-406 2-ply 1/8"	 Black/Passion Fruit <i>EFX</i> CH342-426 2-ply 1/8"	 Black/Daffodil <i>EFX</i> CH342-417 2-ply 1/8"
 Black/Kiwi <i>EFX</i> CH342-439 2-ply 1/8"	 Black/Pacific <i>EFX</i> CH342-455 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.

Material
Cell cast acrylic (PMMA)

Finish
Matte non-glare (1 side)
Gloss (1 side)

*Gloss both sides
● Edge Glow

Sheet Size
24-1/8" x 48-1/2" +0, -.125" //
613mm x 1225mm

Engraving Depth
ColorHues N/A (Single ply)
EFX .003" +/- .08mm

Gauge
1/8" +/- 0.016 // .4mm
1/4" +/- .032 // .8mm

Usage ColorHues

Interior signage
Exterior signage
Tactile signage
Signage component or substrate
Craft and artistry projects

Usage EFX

Interior signage
Restaurant/pub signage & displays
Retail environments
Illuminated wayfinding & directories
Point-of-purchase

Capabilities ColorHues

Scores	Laser Vector Cuts	Saws
Drills	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Braille-engravable	Thermal Prints
Sandblasts	UV-LED Printable	ADA Tactile

Capabilities EFX

Scores	Laser Vector Cuts	Saws
Drills	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Braille-engravable	Thermal Prints
Sandblasts		

HARDWOOD COLLECTION™ **NEW**



Cherry		Maple		Red Oak		Walnut		Mahogany	
RW1224-125CHE	1/8"	RW1224-125MAP	1/8"	RW1224-125OAK	1/8"	RW1224-125WAL	1/8"	RW1224-125MAH	1/8"
RW1824-125CHE	1/8"	RW1824-125MAP	1/8"	RW1824-125OAK	1/8"	RW1824-125WAL	1/8"	RW1824-125MAH	1/8"
RW1224-250CHE	1/4"	RW1224-250MAP	1/4"	RW1224-250OAK	1/4"	RW1224-250WAL	1/4"	RW1224-250MAH	1/4"
RW1824-250CHE	1/4"	RW1824-250MAP	1/4"	RW1824-250OAK	1/4"	RW1824-250WAL	1/4"	RW1824-250MAH	1/4"

TECHNICAL SPECIFICATIONS

Material

Hardwood Layered Veneers

Finish

Natural/Unfinished

Sheet Size

12" x 24" // 305mm x 610mm
18" x 24" // 457mm x 610mm

Engraving Depth

N/A (Single ply)

Usage

Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities

Saws
Hot Stamps
Sandblasts

Drills
Bonds

Screen Prints
Colorfill

REFLEXIONS **NEW**



Silver Mirror		Ice Silver Mirror		Platinum Mirror		Carbon Mirror		Bronze Mirror		Gold Mirror		Ice Gold Mirror	
RM942-340	2-ply 1/8"	RM942-341	2-ply 1/8"	RM942-351	2-ply 1/8"	RM942-300	2-ply 1/8"	RM942-870	2-ply 1/8"	RM942-730	2-ply 1/8"	RM942-731	2-ply 1/8"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.

Material

Cell cast acrylic (PMMA)

Finish

Frosted matte non-glare (1 side)
Mirrored (1 side)

Sheet Size

24" x 48" +/-1875" -0" // 610mm x 1219mm

Engraving Depth

.012" // 0.30mm

Usage


Interior signage
Exterior signage
Signage component or substrate
Craft and artistry projects

Capabilities

Scores
Bevels
Hot Stamps
Paintfill
Sandblasts

Saws
Heat Bendable
Bonds
Back-lighting

Drills
Screen Prints
Fine Detail
Thermal Prints



Rowmarkably Simple.

Rowmark's Color Snap Match App

Rowmark's **NEW** color match app allows you to snap a photo, select a color and instantly match your project colors to Rowmark products... anywhere!

- /// Quickly receive expert suggestions on the best Rowmark products for your project based on color and product features.
- /// Directly request samples of product matches.
- /// Access to Pantone®, CMYK, RGB & HEX color information on product matches.
- /// **Can't find what you are looking for?** Submit a custom color match directly from the app.



REQUEST A FREE COPY OF OUR SAMPLE MATERIAL KIT.

Test Rowmark's new and popular products for laser marking, rotary engraving and UV Printable today! Each kit includes a Color Chart, several plastic samples and helpful fabrication tips and tricks.

Request your **FREE** kit today at samples@rowmark.com!

MATTES



Red/White	Burgundy/White	Orange/White	Yellow/Black	Bright Green/White	Celadon Green/White	Pine Green/White	Light Blue/White	Sapphire/White
212-602 2-ply 1/32" 222-602 2-ply 1/16" 223-602 3-ply 1/16" 243-602 3-ply 1/8"	222-622 2-ply 1/16" 243-622 3-ply 1/8"	222-612 2-ply 1/16" 243-612 3-ply 1/8"	212-744 2-ply 1/32" 222-744 2-ply 1/16" 223-744 3-ply 1/16" 243-744 3-ply 1/8"	212-932 2-ply 1/32" 222-932 2-ply 1/16" 223-932 3-ply 1/16" 243-932 3-ply 1/8"	222-972 2-ply 1/16" 243-972 3-ply 1/8"	222-912 2-ply 1/16" 243-912 3-ply 1/8"	222-562 2-ply 1/16" 243-562 3-ply 1/8"	222-502 2-ply 1/16" 243-502 3-ply 1/8"
Blue/White	Navy Blue/White	China Blue/White	Purple/White	Almond/Black	Ivory/Dark Brown	Med. Brown/White	Dark Brown/White	White/Red
212-512 2-ply 1/32" 222-512 2-ply 1/16" 223-512 3-ply 1/16" 243-512 3-ply 1/8"	222-552 2-ply 1/16" 243-552 3-ply 1/8"	222-382 2-ply 1/16" 243-382 3-ply 1/8"	222-582 2-ply 1/16" 243-582 3-ply 1/8"	222-854 2-ply 1/16" 243-854 3-ply 1/8"	222-228 2-ply 1/16" 243-228 3-ply 1/8"	222-822 2-ply 1/16" 243-822 3-ply 1/8"	222-842 2-ply 1/16" 243-842 3-ply 1/8"	212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
White/Burgundy	White/Bright Green	White/Blue	White/Black	Light Grey/Burgundy	Light Grey/Marine Blue	Light Grey/Black	Grey/White	Black/White
222-226 2-ply 1/16" 243-226 3-ply 1/8"	222-209 2-ply 1/16" 243-209 3-ply 1/8"	212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	212-204 2-ply 1/32" 222-204 2-ply 1/16" 223-204 3-ply 1/16" 243-204 3-ply 1/8"	222-326 2-ply 1/16" 243-326 3-ply 1/8"	222-325 2-ply 1/16" 243-325 3-ply 1/8"	222-324 2-ply 1/16" 243-324 3-ply 1/8"	222-312 2-ply 1/16" 243-312 3-ply 1/8"	212-402 2-ply 1/32" 222-402 2-ply 1/16" 223-402 3-ply 1/16" 243-402 3-ply 1/8"
Black/Bright White	Walnut/White	English Walnut/Bright White	Black Walnut/White					
222-412 2-ply 1/16" 243-412 3-ply 1/8"	222-172 2-ply 1/16" 243-172 3-ply 1/8"	222-192 2-ply 1/16" 243-192 3-ply 1/8"	222-002 2-ply 1/16" 243-002 3-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Microsurfaced ABS

Finish
Matte non-glare
Patterned

Sheet Size
24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth
.003" // 0.08mm

Usage
Interior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores	Saws	Drills
Bevels	Heat Bendable	Screen Prints
Hot Stamps	Bonds	Fine Detail
Thermal Prints	Shears	Sandblasts

LACQUERS



Red/White	Yellow/Black	Safety Yellow/Black	Bright Green/White	Teal/White	Blue/White	Sapphire/White	White/Red	White/Blue
422-602 2-ply 1/16" 442-602 2-ply 1/8"	422-704 2-ply 1/16" 442-704 2-ply 1/8"	422-794 2-ply 1/16" 442-794 2-ply 1/8"	422-932 2-ply 1/16" 442-932 2-ply 1/8"	422-962 2-ply 1/16" 442-962 2-ply 1/8"	422-512 2-ply 1/16" 442-512 2-ply 1/8"	422-562 2-ply 1/16" 442-562 2-ply 1/8"	422-206 2-ply 1/16" 442-206 2-ply 1/8"	422-205 2-ply 1/16" 442-205 2-ply 1/8"
White/Black	Black/White	Vintage Gold/Black	Vintage Silver/Black					
422-204 2-ply 1/16" 442-204 2-ply 1/8"	422-402 2-ply 1/16" 442-402 2-ply 1/8"	422-774 2-ply 1/16" 442-774 2-ply 1/8"	422-384 2-ply 1/16" 442-384 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Laminated impact acrylic

Finish
Gloss

Sheet Size
24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth
.012" // 0.30mm

Usage
Interior signage
Exterior signage
Personal identification

Capabilities

Saws	Drills	UV Stable
Shears	Bevels	
Bonds	Heat Bendable	
Screen Prints	Hot Stamps	
Thermal Prints	Laser Vector Cuts	

ULTRA-MATTES *Front Engravable*



Red/White	Red/Yellow	Dusty Rose/White	Ruby/White	Garnet/Ash	Canyon/Ash	Canyon/Cement	Yellow/Black	Safety Yellow/Black
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"

Bright Green/White	Celadon Green/White	Hunter Green/White	Hunter Green/Gold	Black Forest Green/White	Sea Grey/White	Balsam/Ash	Teal/White	Ocean Blue/White
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"

Blue/White	Blue/Yellow	Sapphire/White	Blueberry/Gold	Blueberry/White	China Blue/White	Ash/Garnet	Ash/Cinder	Sandalwood/Canyon
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"

Sandalwood/Balsam	Parchment/Black	Ivory/Dark Brown	Beige/White	Beige/Dark Brown	Taupe/White	Driftwood/Alpine	White/Red	White/Blue
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"

White/Black	White/Gold	Cement/Garnet	Cement/Canyon	Graphite/White	Cinder/Clay	Cinder/White	Charcoal Grey/White	Dark Brown/White
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"

Black/Silver	Black/White	Black/Yellow	Black/Gold	Vintage Gold/Black	Vintage Silver/Black
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"

TECHNICAL SPECIFICATIONS			
Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Tactile Signage	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable
Finish Matte non-glare	Engraving Depth .012" // 0.30mm		Drills Bevels Hot Stamps Braille Engravable
			Shears Heat Bendable Bonds Thermal Prints

SLICKERS



Clear/Red	Clear/Yellow	Clear/Sapphire	Clear/White	Clear/Black	Clear/Clear
412-600 2-ply 1/32" 422-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 422-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 422-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 422-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 422-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS			
Material Laminated impact acrylic for reverse engraving	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints
Finish Gloss	Engraving Depth .012" // 0.30mm		Drills Bevels Hot Stamps Paintfill
			Shears Heat Bendable Bonds Back-lighting

ULTRA-MATTES *Reverse Engravable*



312-601 2-ply 1/32" 322-601 2-ply 1/16" 342-601 2-ply 1/8"	312-661 2-ply 1/32" 322-661 2-ply 1/16" 342-661 2-ply 1/8"	312-631 2-ply 1/32" 322-631 2-ply 1/16" 342-631 2-ply 1/8"	312-861 2-ply 1/32" 322-861 2-ply 1/16" 342-861 2-ply 1/8"	312-651 2-ply 1/32" 322-651 2-ply 1/16" 342-651 2-ply 1/8"	312-701 2-ply 1/32" 322-701 2-ply 1/16" 342-701 2-ply 1/8"	312-911 2-ply 1/32" 322-911 2-ply 1/16" 342-911 2-ply 1/8"	312-931 2-ply 1/32" 322-931 2-ply 1/16" 342-931 2-ply 1/8"	312-991 2-ply 1/32" 322-991 2-ply 1/16" 342-991 2-ply 1/8"
--	--	--	--	--	--	--	--	--



312-901 2-ply 1/32" 322-901 2-ply 1/16" 342-901 2-ply 1/8"	312-311 2-ply 1/32" 322-311 2-ply 1/16" 342-311 2-ply 1/8"	312-921 2-ply 1/32" 322-921 2-ply 1/16" 342-921 2-ply 1/8"	312-591 2-ply 1/32" 322-591 2-ply 1/16" 342-591 2-ply 1/8"	312-511 2-ply 1/32" 322-511 2-ply 1/16" 342-511 2-ply 1/8"	312-561 2-ply 1/32" 322-561 2-ply 1/16" 342-561 2-ply 1/8"	312-541 2-ply 1/32" 322-541 2-ply 1/16" 342-541 2-ply 1/8"	312-381 2-ply 1/32" 322-381 2-ply 1/16" 342-381 2-ply 1/8"	312-831 2-ply 1/32" 322-831 2-ply 1/16" 342-831 2-ply 1/8"
--	--	--	--	--	--	--	--	--



312-801 2-ply 1/32" 322-801 2-ply 1/16" 342-801 2-ply 1/8"	312-431 2-ply 1/32" 322-431 2-ply 1/16" 342-431 2-ply 1/8"	312-301 2-ply 1/32" 322-301 2-ply 1/16" 342-301 2-ply 1/8"	312-841 2-ply 1/32" 322-841 2-ply 1/16" 342-841 2-ply 1/8"	312-731 2-ply 1/32" 322-731 2-ply 1/16" 342-731 2-ply 1/8"	312-371 2-ply 1/32" 322-371 2-ply 1/16" 342-371 2-ply 1/8"	312-391 2-ply 1/32" 322-391 2-ply 1/16" 342-391 2-ply 1/8"	312-401 2-ply 1/32" 322-401 2-ply 1/16" 342-401 2-ply 1/8"	312-201 2-ply 1/32" 322-201 2-ply 1/16" 342-201 2-ply 1/8"
--	--	--	--	--	--	--	--	--



312-221 2-ply 1/32" 322-221 2-ply 1/16" 342-221 2-ply 1/8"	312-211 2-ply 1/32" 322-211 2-ply 1/16" 342-211 2-ply 1/8"	312-811 2-ply 1/32" 322-811 2-ply 1/16" 342-811 2-ply 1/8"	312-231 2-ply 1/32" 322-231 2-ply 1/16" 342-231 2-ply 1/8"	312-241 2-ply 1/32" 322-241 2-ply 1/16" 342-241 2-ply 1/8"	312-581 2-ply 1/32" 322-581 2-ply 1/16" 342-581 2-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"
--	--	--	--	--	--	--

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic for reverse engraving	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Tactile signage	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints	Drills Bevels Hot Stamps Paintfill Sandblasts	Shears Heat Bendable Bonds Braille-engravable
Finish Matte non-glare	Engraving Depth .012" // 0.30mm				

SAFE-T-MARK™



FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"	FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	FR222-512 2-ply 1/16" FR223-512 3-ply 1/16"	FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"
--	--	--	--	--	--	--	--	--

TECHNICAL SPECIFICATIONS

Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-flammable.

Material Fire retardant functional polymer	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Industrial tags Safety signage Equipment ID tags Electrical tags Control panels	Capabilities Scores Bevels Hot Stamps Thermal Prints	Saws Heat Bendable Bonds Shears	Drills Screen Prints Fine Detail
Finish Matte non-glare	Engraving Depth .003" // 0.08mm				

HEAVY WEIGHTS™



HW853-602 3-ply 1/4" HW873-602 3-ply 1/2"	HW853-604 3-ply 1/4" HW873-604 3-ply 1/2"	HW853-512 3-ply 1/4" HW873-512 3-ply 1/2"	HW853-205 3-ply 1/4" HW873-205 3-ply 1/2"	HW853-402 3-ply 1/4" HW873-402 3-ply 1/2"	HW853-204 3-ply 1/4" HW873-204 3-ply 1/2"	HW853-797 3-ply 1/4" HW873-797 3-ply 1/2"	HW853-908 3-ply 1/4" HW873-908 3-ply 1/2"	HW853-802 3-ply 1/4" HW873-802 3-ply 1/2"
--	--	--	--	--	--	--	--	--



HW853-902 3-ply 1/4" HW873-902 3-ply 1/2"	HW853-704 3-ply 1/4" HW873-704 3-ply 1/2"
--	--

TECHNICAL SPECIFICATIONS

Material High-density polyethylene	Sheet Size 24" x 48" // 610mm x 1219mm	Usage Architectural Outdoor & recreational Interior signage Exterior Signage	Capabilities Saws Drills UV Stable
Finish Textured	Engraving Depth 1/4" = .030" // 0.8mm 1/2" = .060" // 1.6mm		

SATINS



Red/White	Red/Black	Red/Yellow	Burgundy/White	Orange/White	Orange/Black	Yellow/Black	Yellow/Red	Yellow/Blue
112-602 2-ply 1/32" 122-602 2-ply 1/16" 123-602 3-ply 1/16" 132-602 2-ply 3/32" 143-602 3-ply 1/8"	122-604 2-ply 1/16" 143-604 3-ply 1/8"	122-607 2-ply 1/16" 143-607 3-ply 1/8"	122-622 2-ply 1/16" 143-622 3-ply 1/8"	122-612 2-ply 1/16" 143-612 3-ply 1/8"	122-614 2-ply 1/16" 143-614 3-ply 1/8"	112-704 2-ply 1/32" 122-704 2-ply 1/16" 123-704 3-ply 1/16" 132-704 2-ply 3/32" 143-704 3-ply 1/8"	122-706 2-ply 1/16" 143-706 3-ply 1/8"	122-705 2-ply 1/16" 143-705 3-ply 1/8"
Bright Green/White	Green/White	Pine Green/White	Aqua/White	Blue/White	Blue/Yellow	Blue/Silver	Navy Blue/White	Air Force Blue/White
112-932 2-ply 1/32" 122-932 2-ply 1/16" 123-932 3-ply 1/16" 132-932 2-ply 3/32" 143-932 3-ply 1/8"	122-902 2-ply 1/16" 143-902 3-ply 1/8"	122-912 2-ply 1/16" 143-912 3-ply 1/8"	122-942 2-ply 1/16" 143-942 3-ply 1/8"	112-512 2-ply 1/32" 122-512 2-ply 1/16" 123-512 3-ply 1/16" 132-512 2-ply 3/32" 143-512 3-ply 1/8"	122-517 2-ply 1/16" 143-517 3-ply 1/8"	122-533 2-ply 1/16"	122-552 2-ply 1/16" 143-552 3-ply 1/8"	122-532 2-ply 1/16" 143-532 3-ply 1/8"
Metallic Blue/White	Purple/White	Almond/Black	Ivory/Dark Brown	Beige/Dark Brown	Beige/White	Med. Brown/White	Dark Brown/White	White/Red
122-542 2-ply 1/16" 143-542 3-ply 1/8"	122-582 2-ply 1/16" 143-582 3-ply 1/8"	122-854 2-ply 1/16" 143-854 3-ply 1/8"	122-228 2-ply 1/16" 143-228 3-ply 1/8"	122-838 2-ply 1/16" 143-838 3-ply 1/8"	122-832 2-ply 1/16" 143-832 3-ply 1/8"	122-822 2-ply 1/16" 143-822 3-ply 1/8"	122-842 2-ply 1/16" 143-842 3-ply 1/8"	122-206 2-ply 1/16" 143-206 3-ply 1/8"
Polar White/Red	White/Orange	White/Bright Green	Polar White/Bright Green	White/Pine Green	White/Blue	Polar White/Blue	White/Dark Brown	White/Black
122-246 2-ply 1/16"	122-216 2-ply 1/16" 143-216 3-ply 1/8"	122-209 2-ply 1/16" 143-209 3-ply 1/8"	122-239 2-ply 1/16"	122-269 2-ply 1/16" 143-269 3-ply 1/8"	122-205 2-ply 1/16" 143-205 3-ply 1/8"	122-235 2-ply 1/16"	122-208 2-ply 1/16" 143-208 3-ply 1/8"	112-204 2-ply 1/32" 122-204 2-ply 1/16" 123-204 3-ply 1/16" 132-204 2-ply 3/32" 143-204 3-ply 1/8"
Polar White/Black	Metallic Grey/White	Battleship Grey/White	Grey/White	Grey/Black	Black/White	Black/Bright White	Black/Red	Black/Yellow
122-234 2-ply 1/16" 132-234 2-ply 3/32" 143-234 3-ply 1/8"	122-312 2-ply 1/16" 143-312 3-ply 1/8"	122-362 2-ply 1/16" 143-362 3-ply 1/8"	122-302 2-ply 1/16" 143-302 3-ply 1/8"	122-304 2-ply 1/16" 143-304 3-ply 1/8"	112-402 2-ply 1/32" 122-402 2-ply 1/16" 132-402 2-ply 3/32" 143-402 3-ply 1/8"	122-412 2-ply 1/16" 143-412 3-ply 1/8"	122-406 2-ply 1/16" 143-406 3-ply 1/8"	122-407 2-ply 1/16" 143-407 3-ply 1/8"
Black/Gold	Black/Silver							
122-417 2-ply 1/16" 143-417 3-ply 1/8"	122-423 2-ply 1/16" 143-423 3-ply 1/8"							

TECHNICAL SPECIFICATIONS

Material Acrylic cap, ABS core	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification	Capabilities Scores Drills Bevels Screen Prints Bonds Saws Shears Heat Bendable Hot Stamps
Finish Brushed	Engraving Depth .012" // 0.30mm		

NOMARK® PLUS & STANDARD METALS



Deep Bronze/Black	Br. Gold/Black	European Gold/Black	Smooth Gold/Black	Br. Aluminum/Black	Br. Silver/Black	Smooth Silver/Black
Standard: 512-884 2-ply 1/32" 522-884 2-ply 1/16" NoMark® Plus: 522-8840+ 2-ply 1/16"	Standard: 512-734 2-ply 1/32" 522-734 2-ply 1/16" NoMark® Plus: 522-7340+ 2-ply 1/16"	Standard: 512-754 2-ply 1/32" 522-754 2-ply 1/16" NoMark® Plus: 522-7540+ 2-ply 1/16"	Standard: 512-714 2-ply 1/32" 522-714 2-ply 1/16" NoMark® Plus: 522-7140+ 2-ply 1/16"	Standard: 512-354 2-ply 1/32" 522-354 2-ply 1/16" NoMark® Plus: 522-3540+ 2-ply 1/16"	Standard: 512-334 2-ply 1/32" 522-334 2-ply 1/16" NoMark® Plus: 522-3340+ 2-ply 1/16"	Standard: 512-344 2-ply 1/32" 522-344 2-ply 1/16" NoMark® Plus: 522-3440+ 2-ply 1/16"

TECHNICAL SPECIFICATIONS

NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.

Material Microsurfaced ABS	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification Trophies, awards & plaques	Capabilities Scores Drills Screen Prints Fine Detail Saws Bevels Hot Stamps Thermal Prints Shears Heat Bendable Bonds Sandblasts
Finish Brushed metal	Engraving Depth .003" // 0.08mm		

◆ Not recommended for harsh or high humidity indoor or outdoor applications.



LASER & ROTARY ENGRAVING MATERIALS



















LASERMAX® NEW



 Crimson/ White LM912-602 2-ply 1/32" LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	 Crimson/ Yellow LM922-607 2-ply 1/16"	 Claret/ White LM922-622 2-ply 1/16"	 Ribbon Pink/ White LM922-662 2-ply 1/16"	 Ribbon Pink/ Black LM922-664 2-ply 1/16"	 Tangerine/ White LM922-612 2-ply 1/16"	 Canary/ Black LM912-704 2-ply 1/32" LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"
 Kelley Green/ White LM912-932 2-ply 1/32" LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	 Celadon Green/ White LM922-972 2-ply 1/16"	 Evergreen/ White LM912-912 2-ply 1/32" LM922-912 2-ply 1/16" LM942-912 2-ply 1/8"	 Sky Blue/ White LM912-512 2-ply 1/32" LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"	 Sky Blue/ Yellow LM922-517 2-ply 1/16"	 Sapphire/ White LM922-502 2-ply 1/16"	 Light Blue/ White LM922-562 2-ply 1/16"
 Patriot Blue/ White LM922-552 2-ply 1/16"	 China Blue/ White LM922-382 2-ply 1/16"	 Purple/ White LM922-582 2-ply 1/16"	 White/ Crimson LM922-206 2-ply 1/16"	 White/ Burgundy LM922-226 2-ply 1/16"	 White/ Sky Blue LM922-205 2-ply 1/16"	 White/ Bright Green LM922-209 2-ply 1/16"
 White/ Pine Green LM922-269 2-ply 1/16"	 White/ Black LM912-204 2-ply 1/32" LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	 Ivory/ Dark Brown LM922-228 2-ply 1/16"	 Almond/ Black LM922-854 2-ply 1/16"	 Light Grey/ Burgundy LM922-326 2-ply 1/16"	 Light Grey/ Marine Blue LM922-325 2-ply 1/16"	 Light Grey/ Black LM922-324 2-ply 1/16"
 Smoke Grey/ White LM922-312 2-ply 1/16"	 Med. Brown/ White LM922-822 2-ply 1/16"	 Dark Brown/ White LM922-842 2-ply 1/16"	 Black/ White LM912-402 2-ply 1/32" LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	 Gloss Black/ White LM922-422 2-ply 1/16"	 Black/ Yellow LM922-407 2-ply 1/16"	 Black/ Gold LM922-417 2-ply 1/16"
 Gloss Black/ Gold LM922-427 2-ply 1/16"	 Black/ Silver LM922-413 2-ply 1/16"	 Celestial Blue/ Gold LM922-577 2-ply 1/16"	 Harbor Grey/ White LM922-362 2-ply 1/16"	 Port Wine/ Gold* LM922-677 2-ply 1/16"	 Verde/ Gold* LM922-937 2-ply 1/16"	 Deep Bronze/ Black* LM922-884 2-ply 1/16"
 Brushed Bronze/Black* LM922-874 2-ply 1/16"	 Brushed Bronze/White* LM922-872 2-ply 1/16"	 Brushed Gold/ Black* LM912-734 2-ply 1/32" LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	 European Gold/ Black* LM912-754 2-ply 1/32" LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	 Smooth Gold/ Black* LM912-714 2-ply 1/32" LM922-714 2-ply 1/16" LM942-714 2-ply 1/8"	 Br. Aluminum/ Black* LM912-354 2-ply 1/32" LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	 Brushed Silver/Black* LM912-334 2-ply 1/32" LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"
 Smooth Silver/ Black* LM912-344 2-ply 1/32" LM922-344 2-ply 1/16" LM942-344 2-ply 1/8"	 Digicam Std. Issue/White LM922-982 2-ply 1/16"	 Digicam Green/ White LM922-922 2-ply 1/16"	 Digicam Desert Storm/Black LM922-844 2-ply 1/16"	 Digicam Pink/ Black LM922-694 2-ply 1/16"	 Digicam Air Force Blue/ White LM922-532 2-ply 1/16"	 Digicam Navy/ White LM922-592 2-ply 1/16"
 Digicam Special Ops/ White LM922-372 2-ply 1/16"	 Cashew/ Dark Brown LM922-188 2-ply 1/16"	 Cashew/ Taupe LM922-138 2-ply 1/16"	 Cashew/ Black LM922-134 2-ply 1/16"	 Toffee/ Ash LM922-122 2-ply 1/16"	 Toffee/ White LM922-112 2-ply 1/16"	 Cinnamon Stick/Ash LM922-022 2-ply 1/16"

ULTRAGRAVE™ MATTE



 Red/ White UG662-602 2-ply .010" UG602-602 2-ply .020" UG922-602 2-ply 1/16"	 Red/ Black UG922-604 2-ply 1/16"	 Red/ Gold UG922-637 2-ply 1/16"	 Torrid/ White UG922-862 2-ply 1/16"	 Exotica/ White UG922-882 2-ply 1/16"	 Burgundy/ White UG922-622 2-ply 1/16"	 Burgundy/ Gold UG922-627 2-ply 1/16"
 Orange/ White UG922-612 2-ply 1/16"	 Orange/ Black UG922-614 2-ply 1/16"	 Yellow/ Black UG662-704 2-ply .010" UG602-704 2-ply .020" UG922-704 2-ply 1/16"	 Apple Green/ White UG602-932 2-ply .020" UG922-932 2-ply 1/16"	 Pine Green/ White UG922-912 2-ply 1/16"	 Forest Green/ White UG922-992 2-ply 1/16"	 Forest Green/ Eggshell UG922-993 2-ply 1/16"
 Forest Green/ Gold UG922-997 2-ply 1/16"	 Turbulent/ White UG922-942 2-ply 1/16"	 Blue/ White UG662-512 2-ply .010" UG602-512 2-ply .020" UG922-512 2-ply 1/16"	 Air Force Blue/White UG922-532 2-ply 1/16"	 Royal Blue/ White UG922-592 2-ply 1/16"	 Royal Blue/ Gold UG602-597 2-ply .020" UG922-597 2-ply 1/16"	 Navy Blue/ White UG922-552 2-ply 1/16"
 Navy Blue/ Gold UG922-557 2-ply 1/16"	 Taupe/ White UG922-802 2-ply 1/16"	 Almond/ Black UG922-854 2-ply 1/16"	 Craftsmen/ White UG922-832 2-ply 1/16"	 White/ Black UG662-204 2-ply .010" UG602-204 2-ply .020" UG922-204 2-ply 1/16"	 White/ Clear* UG602-201 2-ply .020" UG922-201 2-ply 1/16"	 White/ Red UG922-206 2-ply 1/16"
 White/ Blue UG922-205 2-ply 1/16"	 White/ Taupe UG922-208 2-ply 1/16"	 Brown/ White UG922-822 2-ply 1/16"	 Chocolate Brown/White UG922-842 2-ply 1/16"	 Light Gray/ Black UG922-304 2-ply 1/16"	 Black/ White UG662-402 2-ply .010" UG602-402 2-ply .020" UG922-402 2-ply 1/16"	 Black/ Clear* UG602-401 2-ply .020" UG922-401 2-ply 1/16"
 Black/ Silver Gray UG922-423 2-ply 1/16"	 Matte Black/ Gold UG922-417 2-ply 1/16"	 Glossy Black/ Gold UG602-427 2-ply .020"				

ULTRAGRAVE™ SATIN



 Red/ White UG122-602 2-ply 1/16"	 Red/ Black UG122-604 2-ply 1/16"	 Torrid/ White UG122-862 2-ply 1/16"	 Exotica/ White UG122-882 2-ply 1/16"	 Burgundy/ White UG122-622 2-ply 1/16"	 Orange/ White UG122-612 2-ply 1/16"	 Orange/ Black UG122-614 2-ply 1/16"
 Yellow/ Black UG122-704 2-ply 1/16"	 Apple Green/ White UG122-932 2-ply 1/16"	 Pine Green/ White UG122-912 2-ply 1/16"	 Forest Green/ White UG122-992 2-ply 1/16"	 Forest Green/ Eggshell UG122-993 2-ply 1/16"	 Turbulent/ White UG122-942 2-ply 1/16"	 Blue/ White UG122-512 2-ply 1/16"
 Air Force Blue/White UG122-532 2-ply 1/16"	 Royal Blue/ White UG122-592 2-ply 1/16"	 Navy Blue/ White UG122-552 2-ply 1/16"	 Taupe/ White UG122-802 2-ply 1/16"	 Almond/ Black UG122-854 2-ply 1/16"	 Craftsmen/ White UG122-832 2-ply 1/16"	 White/ Black UG122-204 2-ply 1/16"

LASERMARK®



 922-602 2-ply .052"	 922-607 2-ply .052"	 922-704 2-ply .052"	 922-932 2-ply .052"	 922-912 2-ply .052"	 922-502 2-ply .052"	 922-512 2-ply .052"
 922-517 2-ply .052"	 922-552 2-ply .052"	 922-228 2-ply .052"	 922-822 2-ply .052"	 922-842 2-ply .052"	 922-206 2-ply .052"	 922-205 2-ply .052"
 922-204 2-ply .052"	 922-322 2-ply .052"	 922-312 2-ply .052"	 922-402 2-ply .052"	 922-422 2-ply .052"	 922-407 2-ply .052"	 922-417 2-ply .052"
 922-427 2-ply .052"	 922-677 2-ply .052"	 922-937 2-ply .052"	 922-577 2-ply .052"	 922-152 2-ply .052"	 922-002 2-ply .052"	 922-172 2-ply .052"
 922-192 2-ply .052"	 922-714 2-ply .052"	 922-734 2-ply .052"	 922-754 2-ply .052"	 922-354 2-ply .052"	 922-334 2-ply .052"	 922-344 2-ply .052"

TECHNICAL SPECIFICATIONS

* LaserMark metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 49" // 613mm x 1245mm
Port Wine*
23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail

Saws
Bevels
Hot Stamps
Shears

Drills
Heat Bendable
Bonds

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

FLEXIBRASS® & FLEXICOLOR®



 602-677 2-ply .020"	 602-672 2-ply .020"	 602-937 2-ply .020"	 602-577 2-ply .020"	 602-572 2-ply .020"	 602-363 2-ply .020"	 602-362 2-ply .020"
 602-735 2-ply .020"	 602-874 2-ply .020"	 602-884 2-ply .020"	 602-734 2-ply .020"	 602-754 2-ply .020"	 602-602 2-ply .020"	 602-744 2-ply .020"
 602-512 2-ply .020"	 602-204 2-ply .020"	 602-402 2-ply .020"	 602-417 2-ply .020"	 602-427 2-ply .020"	 602-413 2-ply .020"	 602-423 2-ply .020"
 602-354 2-ply .020"	 602-334 2-ply .020"	 602-794 2-ply .020"	 602-394 2-ply .020"			

ADA ALTERNATIVE® Substrate & Appliqué




Red

311-601 1-ply 1/32"
321-601 1-ply 1/16"
341-601 1-ply 1/8"




Burgundy

311-602 1-ply 1/32"
321-602 1-ply 1/16"
341-602 1-ply 1/8"




Bordeaux

311-671 1-ply 1/32"
321-671 1-ply 1/16"
341-671 1-ply 1/8"




Passion Pink

311-661 1-ply 1/32"
321-661 1-ply 1/16"
341-661 1-ply 1/8"



Canyon

311-823 1-ply 1/32"
321-823 1-ply 1/16"
341-823 1-ply 1/8"




Orange

311-603 1-ply 1/32"
321-603 1-ply 1/16"
341-603 1-ply 1/8"




Yellow

311-701 1-ply 1/32"
321-701 1-ply 1/16"
341-701 1-ply 1/8"




Grass Green

311-905 1-ply 1/32"
321-905 1-ply 1/16"
341-905 1-ply 1/8"




Bright Green

311-901 1-ply 1/32"
321-901 1-ply 1/16"
341-901 1-ply 1/8"



Pine Green

311-902 1-ply 1/32"
321-902 1-ply 1/16"
341-902 1-ply 1/8"



Teal

311-921 1-ply 1/32"
321-921 1-ply 1/16"
341-921 1-ply 1/8"



Black Forest Green

311-903 1-ply 1/32"
321-903 1-ply 1/16"
341-903 1-ply 1/8"



Bahama Blue

311-509 1-ply 1/32"
321-509 1-ply 1/16"
341-509 1-ply 1/8"



Maui Blue

311-507 1-ply 1/32"
321-507 1-ply 1/16"
341-507 1-ply 1/8"




China Blue

311-302 1-ply 1/32"
321-302 1-ply 1/16"
341-302 1-ply 1/8"



Blue

311-501 1-ply 1/32"
321-501 1-ply 1/16"
341-501 1-ply 1/8"




Air Force Blue

311-504 1-ply 1/32"
321-504 1-ply 1/16"
341-504 1-ply 1/8"



Marine Blue

311-502 1-ply 1/32"
321-502 1-ply 1/16"
341-502 1-ply 1/8"




Antique Ivory

311-801 1-ply 1/32"
321-801 1-ply 1/16"
341-801 1-ply 1/8"




Sand

311-808 1-ply 1/32"
321-808 1-ply 1/16"
341-808 1-ply 1/8"




Ash

311-214 1-ply 1/32"
321-214 1-ply 1/16"
341-214 1-ply 1/8"




Parchment

311-811 1-ply 1/32"
321-811 1-ply 1/16"
341-811 1-ply 1/8"



Sandalwood

311-218 1-ply 1/32"
321-218 1-ply 1/16"
341-218 1-ply 1/8"



White

311-201 1-ply 1/32"
321-201 1-ply 1/16"
341-201 1-ply 1/8"
391-201 1-ply 1mm




Bright White

311-204 1-ply 1/32"
321-204 1-ply 1/16"
341-204 1-ply 1/8"
391-204 1-ply 1mm




Light Grey

311-305 1-ply 1/32"
321-305 1-ply 1/16"
341-305 1-ply 1/8"



Pearl Grey

311-306 1-ply 1/32"
321-306 1-ply 1/16"
341-306 1-ply 1/8"



Driftwood

311-595 1-ply 1/32"
321-595 1-ply 1/16"
341-595 1-ply 1/8"



Grey

311-301 1-ply 1/32"
321-301 1-ply 1/16"
341-301 1-ply 1/8"




Silver Grey

311-308 1-ply 1/32"
321-308 1-ply 1/16"
341-308 1-ply 1/8"



Charcoal Grey

311-307 1-ply 1/32"
321-307 1-ply 1/16"
341-307 1-ply 1/8"



Cinder

311-413 1-ply 1/32"
321-413 1-ply 1/16"
341-413 1-ply 1/8"



Beige

311-831 1-ply 1/32"
321-831 1-ply 1/16"
341-831 1-ply 1/8"



Candlewick

311-805 1-ply 1/32"
321-805 1-ply 1/16"
341-805 1-ply 1/8"



Taupe

311-802 1-ply 1/32"
321-802 1-ply 1/16"
341-802 1-ply 1/8"



Dark Brown

311-803 1-ply 1/32"
321-803 1-ply 1/16"
341-803 1-ply 1/8"



Med. Brown

311-821 1-ply 1/32"
321-821 1-ply 1/16"
341-821 1-ply 1/8"




Black

311-401 1-ply 1/32"
321-401 1-ply 1/16"
341-401 1-ply 1/8"
391-401 1-ply 1mm



Copper

311-891 1-ply 1/32"
321-891 1-ply 1/16"
341-891 1-ply 1/8"



Deep Bronze

311-871 1-ply 1/32"
321-871 1-ply 1/16"
341-871 1-ply 1/8"




Gold

311-771 1-ply 1/32"
321-771 1-ply 1/16"
341-771 1-ply 1/8"



Silver

311-304 1-ply 1/32"
321-304 1-ply 1/16"
341-304 1-ply 1/8"



Graphite


311-398 1-ply 1/32"
321-398 1-ply 1/16"
341-398 1-ply 1/8"



Clear

311-101 1-ply 1/32"
322-101 1-ply 1/16"
342-101 1-ply 1/8"

TECHNICAL SPECIFICATIONS		Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.		
Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Tactile signage Appliqué	Capabilities Scores Shears Heat Bendable Bonds Thermal Prints Saws Laser Vector Cuts Screen Prints UV Stable Drills Bevels Hot Stamps Braille-engrivable	
Finish Matte non-glare	Cutting 1/32" Tactile Letters 1/4" round & .020" tip at 20° - 25° angle			



TECHNICAL SPECIFICATIONS

*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.

*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine*
 23-1/2" x 48-3/4" // 597mm x 1238mm
 Kona/Ash & Kona/White*
 23-5/8" x 48-3/4" // 600mm x 1238mm

Usage

Interior signage
 Exterior signage
 Personal Identification
 Trophies, awards & plaques

Capabilities

Scores	Saws	Drills
Shears	Laser Vector Cuts	Bevels
Heat Bendable	Screen Prints	Hot Stamps
Bonds	Fine Detail	UV Stable

Finish


Matte non-glare
 Brushed metal
 Patterned
 Gloss ■

Engraving Depth

.003" // 0.08mm

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

METALGRAPH PLUS®




MP912-314 2-ply 1/32"
 MP922-314 2-ply 1/16"
 MP942-314 2-ply 1/8"



MP912-864 2-ply 1/32"
 MP922-864 2-ply 1/16"
 MP942-864 2-ply 1/8"



MP912-764 2-ply 1/32"
 MP922-764 2-ply 1/16"
 MP942-764 2-ply 1/8"



MP912-364 2-ply 1/32"
 MP922-364 2-ply 1/16"
 MP942-364 2-ply 1/8"



MP912-316 2-ply 1/32"
 MP922-316 2-ply 1/16"
 MP942-316 2-ply 1/8"



MP912-315 2-ply 1/32"
 MP922-315 2-ply 1/16"
 MP942-315 2-ply 1/8"




MP912-766 2-ply 1/32"
 MP922-766 2-ply 1/16"
 MP942-766 2-ply 1/8"



MP912-765 2-ply 1/32"
 MP922-765 2-ply 1/16"
 MP942-765 2-ply 1/8"



MP922-767 2-ply 1/16"
 MP942-767 2-ply 1/8"




MP922-313 2-ply 1/16"
 MP942-313 2-ply 1/8"



MP822-864 2-ply 1/16"




MP822-764 2-ply 1/16"



MP822-767 2-ply 1/16"



MP822-364 2-ply 1/16"



MP822-313 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Usage

Interior signage
 Exterior signage
 Personal Identification
 Trophies, awards & plaques

Capabilities

Scores	Saws	Drills
Shears	Laser Vector Cuts	Bevels
Heat Bendable	Screen Prints	Hot Stamps
Bonds	Fine Detail	UV Stable
Thermal Prints		


Finish

Brushed metal
 Textured

Engraving Depth

.003" // 0.08mm

LASERMAG



LM63-1224 12"x24"sheet



LM65-1224 12"x24"sheet



LM64-1224 12"x24"sheet

TECHNICAL SPECIFICATIONS

Material

Microsurfaced flexible magnetic material

Sheet Size

10 pack: 12"x 24" sheets

Engraving Depth

0.004" // 0.10mm
 Not recommended for rotary engraving

Usage

Promotional magnets
 Repositionable nameplates

Capabilities


Scores	Shears	Laser Vector Cuts
Fine Detail	UV Stable	Thermal Prints
Sandblasts		

Finish
 Brushed metal
 Gloss ■

Gauge

.020" // .5mm

◆ Not recommended for harsh or high humidity indoor or outdoor applications.



UG122-206 2-ply 1/16"



UG122-205 2-ply 1/16"



UG122-822 2-ply 1/16"



UG122-842 2-ply 1/16"



UG122-402 2-ply 1/16"



UG122-423 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

High impact modified acrylic blends

Finish

Matte non-glare
Satin grain
Gloss ■

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth

.005" // .13mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques
Safety & Industrial signage

Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail
Sandblasts
Saws
Bevels
Hot Stamps
UV Stable
Drills
Heat Bendable
Bonds
Back-lighting*

TEXTURES



822-642 2-ply 1/16"
842-642 2-ply 1/8"



822-622 2-ply 1/16"



822-652 2-ply 1/16"



822-774 2-ply 1/16"



822-778 2-ply 1/16"



822-962 2-ply 1/16"




822-992 2-ply 1/16"



822-592 2-ply 1/16"
842-592 2-ply 1/8"




822-503 2-ply 1/16"



822-258 2-ply 1/16"



822-854 2-ply 1/16"




822-892 2-ply 1/16"



822-246 2-ply 1/16"



822-205 2-ply 1/16"



822-244 2-ply 1/16"
842-244 2-ply 1/8"



822-302 2-ply 1/16"



822-374 2-ply 1/16"



822-422 2-ply 1/16"
842-422 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Material

Co-extruded impact acrylic

Finish

Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x
1238mm

Engraving Depth

.007" // 0.18mm
Acid Yellow & Pimento
.010" // 0.25mm


Usage

Interior signage
Exterior signage
Personal identification
Industrial tags
Industrial signage

Capabilities

Saws
Bevels
Screen Prints
Fine Detail
Drills
Heat Bendable
Hot Stamps
UV Stable
Laser Vector Cuts
Shears
Bonds

COLORCAST ACRYLICS™




CC342-600M 2-ply 1/8"
CC342-600G 2-ply 1/8"
CC352-600M 2-ply 1/4"
CC352-600G 2-ply 1/4"




CC342-620M 2-ply 1/8"
CC342-620G 2-ply 1/8"
CC352-620M 2-ply 1/4"
CC352-620G 2-ply 1/4"




CC342-500M 2-ply 1/8"
CC342-500G 2-ply 1/8"
CC352-500M 2-ply 1/4"
CC352-500G 2-ply 1/4"




CC342-550M 2-ply 1/8"
CC342-550G 2-ply 1/8"
CC352-550M 2-ply 1/4"
CC352-550G 2-ply 1/4"




CC342-850M 2-ply 1/8"
CC342-850G 2-ply 1/8"
CC352-850M 2-ply 1/4"
CC352-850G 2-ply 1/4"



CC342-200M 2-ply 1/8"
CC342-200G 2-ply 1/8"
CC352-200M 2-ply 1/4"
CC352-200G 2-ply 1/4"



CC342-300M 2-ply 1/8"
CC342-300G 2-ply 1/8"
CC352-300M 2-ply 1/4"
CC352-300G 2-ply 1/4"




CC342-400M 2-ply 1/8"
CC342-400G 2-ply 1/8"
CC352-400M 2-ply 1/4"
CC352-400G 2-ply 1/4"



CC342-710M 2-ply 1/8"
CC342-710G 2-ply 1/8"
CC352-710M 2-ply 1/4"
CC352-710G 2-ply 1/4"



CC342-330M 2-ply 1/8"
CC342-330G 2-ply 1/8"
CC352-330M 2-ply 1/4"
CC352-330G 2-ply 1/4"



CC342-100M 1-ply 1/8"
CC342-100G 1-ply 1/8"
CC352-100M 1-ply 1/4"
CC352-100G 1-ply 1/4"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures. Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.

Material

Microsurfaced cell cast acrylic for reverse engraving

Finish

Matte (M)
Gloss (G)

Sheet Size

24" x 48" +0, -.125" //
610mm x 1219mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques
Tactile signage (*matte only*)

Capabilities

Saws
Hot Stamps
UV Stable
Braille-engravable
Laser Vector Cuts
Bonds
Paintfill
Thermal Prints
Screen Prints
Fine Detail
Back-lighting

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "9" to the end of the six digit code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine**
23-1/2" x 48-3/4" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Trophies, awards & plaques

Capabilities


Scores	Drills	Shears
Bevels	Heat Bendable	Laser Vector Cuts
Screen Prints	Hot Stamps	Fine Detail
Thermal Prints		

◆ Not recommended for harsh or high humidity indoor or outdoor applications.


LASERLIGHTS




S68-1224 12"x24"sheet



S61-1224 12"x24"sheet



S62-1224 12"x24"sheet
S62-1205 12"x50" rolls



S63-1224 12"x24"sheet
S63-1205 12"x50" rolls




S65-1224 12"x24"sheet
S65-1205 12"x50" rolls



S69-1224 12"x24"sheet




S73-1224 12"x24"sheet




S75-1224 12"x24"sheet
S75-1205 12"x50" rolls



S26-1224 12"x24"sheet



S74-1224 12"x24"sheet



S64-1224 12"x24"sheet
S64-1205 12"x50" rolls

TECHNICAL SPECIFICATIONS

Material

Microsurfaced pre-adhesive plastic
(Backed with a .001" (0.03mm) acrylic pressure sensitive adhesive)

Finish

Brushed metal
Gloss ■

Sheet Size

10 pack: 12" x 24" sheets
12" x 50" rolls

Engraving Depth

0.002" // 0.05mm

Gauge

.004" // .10mm

Usage

Interior signage
Exterior signage
Personal identification
Industrial
Automotive & electronic labeling
Recreational applications

Capabilities

Scores	Drills	Shears
Laser Vector Cuts	Bonds	Fine Detail
UV Stable	Thermal Prints	Sandblasts

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

REVERSE LASERMARK®



922-601 2-ply 1/16"




922-621 2-ply 1/16"



922-661 2-ply 1/16"



922-701 2-ply 1/16"



922-931 2-ply 1/16"




922-511 2-ply 1/16"




922-551 2-ply 1/16"



922-201 2-ply 1/16"



922-221 2-ply 1/16"




922-841 2-ply 1/16"



922-401 2-ply 1/16"



922-711 2-ply 1/16"
942-711 2-ply 1/8"



922-710 2-ply 1/16"
942-710 2-ply 1/8"



922-341 2-ply 1/16"
942-341 2-ply 1/8"



922-340 2-ply 1/16"
942-340 2-ply 1/8"



311-101 1-ply 1/32"
322-101 1-ply 1/16"
342-101 1-ply 1/8"



411-100 1-ply 1/32"
422-100 1-ply 1/16"
442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.

Material

Microsurfaced impact acrylic for reverse engraving

Finish

Matte non-glare
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Tactile signage

Capabilities

Scores	Saws	Drills
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Shears	Thermal Prints

THE VARSITY COLLECTION



Crimson/White LM922-602 2-ply 1/16"	Crimson/Yellow LM922-607 2-ply 1/16"	Crimson/Black* LM922-604 2-ply 1/16"	Claret/White LM922-622 2-ply 1/16"	Tangerine/White LM922-612 2-ply 1/16"	Vibrant Orange/Black* LM922-624 2-ply 1/16"	Canary/Crimson* LM922-706 2-ply 1/16"
Canary/Black LM922-704 2-ply 1/16"	Yellow/Sky Blue* LM922-705 2-ply 1/16"	Kelley Green/White LM922-932 2-ply 1/16"	Kelley Green/Black* LM922-934 2-ply 1/16"	Sky Blue/White LM922-512 2-ply 1/16"	Sky Blue/Yellow LM922-517 2-ply 1/16"	Patriot Blue/White LM922-552 2-ply 1/16"
Patriot Blue/Gold* LM922-527 2-ply 1/16"	Purple/White LM922-582 2-ply 1/16"	White/Crimson LM922-206 2-ply 1/16"	White/Sky Blue LM922-205 2-ply 1/16"	White/Patriot Blue* LM922-255 2-ply 1/16"	White/Black LM922-204 2-ply 1/16"	Black/White LM922-402 2-ply 1/16"
Black/Red* LM922-406 2-ply 1/16"	Black/Yellow LM922-407 2-ply 1/16"	Black/Silver LM922-413 2-ply 1/16"	Black/Gold LM922-417 2-ply 1/16"			

TECHNICAL SPECIFICATIONS

*These items are not available as standard products in the LaserMax® product line, and are handled as custom orders, which require a "2" sheet minimum.

Material

Microsurfaced impact acrylic

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores	Saws	Drills
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Shears

Finish

Matte non-glare

Engraving Depth

.003" // 0.08mm

LASERGLOW®



Glow with Adhesive LG302-911 1-ply .020"	Glow ADA Compliant LG311-911 1-ply 1/32" LG321-911 1-ply 1/16" LG341-911 1-ply 1/8"	Glow Reverse Engravable LG322-911 2-ply .050"	Glow/Safety Red* LG322-916 2-ply .050"	Glow/Safety Green* LG322-919 2-ply .050"	Glow/Safety Blue* LG322-915 2-ply .050"	Glow/Safety Black* LG322-914 2-ply .050"
--	---	---	--	--	---	--

TECHNICAL SPECIFICATIONS

*For best results, it is recommended to rotary engrave these select products.

Material

Modified impact acrylic for appliqué, tactile signage, front or reverse engraving

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Usage

Interior signage
Exterior signage
Safety signage
Tactile/Appliqué signage
Exit/Egress signage
Industrial tags
MEA certified MEA# 203-08-M

Capabilities

Saws	Drills	Shears
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
UV Stable	Paintfill	Back-lighting
Braille-engravable	Thermal Prints	

Finish

Matte non-glare

Engraving Depth

.022" // 0.56mm (Reverse only)
.025" // 0.64mm



Rowmark recommends the products identified for UV-LED Printing.

Rowmark recommends using an adhesion promoter for best results when UV-LED printing select products. Rowmark does not recommend an adhesion promoter for the Hardwood Collection. ColorHuesEFX is not recommended for UV/Print applications.



Rowmark recommends the products identified for ADA/Tactile projects.

ColorHuesEFX is not recommended for ADA/Tactile. Matte product lines are specifically designed by Rowmark to comply with the Americans with Disabilities Act (ADA) Federal regulations for tactile signage.